

Message

From: Meyer, Cynthia [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CCB1693FCF514C0AB782833139385CC9-CMEYER]
Sent: 8/4/2020 4:59:02 PM
To: Cobb, Rick [RICK.COBB@Illinois.gov]
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Yes. I am on it now. I will call you now.

From: Cobb, Rick <RICK.COBB@Illinois.gov>
Sent: Tuesday, August 04, 2020 11:58 AM
To: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Will you have access to your computer?

From: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Sent: Tuesday, August 4, 2020 11:55 AM
To: Cobb, Rick <RICK.COBB@Illinois.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Ok I will call you in a few minutes.

From: Cobb, Rick <RICK.COBB@Illinois.gov>
Sent: Tuesday, August 04, 2020 11:51 AM
To: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Done early. Can do the call at 12.

From: Cobb, Rick
Sent: Tuesday, August 4, 2020 10:29 AM
To: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

How about 12:30? I have a PFAS call till then.

From: Cobb, Rick
Sent: Tuesday, August 4, 2020 10:27 AM
To: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

yes

From: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Sent: Tuesday, August 4, 2020 10:25 AM
To: Cobb, Rick <RICK.COBB@Illinois.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Ok when I get out of my ETT training. Can I call you at noon?

From: Cobb, Rick <RICK.COBB@Illinois.gov>
Sent: Tuesday, August 04, 2020 10:24 AM
To: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Call me.

From: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Sent: Tuesday, August 4, 2020 10:21 AM
To: Cobb, Rick <RICK.COBB@Illinois.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Hi Rick,

Thanks for sending. However I can't open the attachments or see the images. Can you resend or possibly post to the PWSS IL Sharepoint site?

Cynthia

From: Cobb, Rick <RICK.COBB@Illinois.gov>
Sent: Tuesday, August 04, 2020 10:16 AM
To: Meyer, Cynthia <Meyer.Cynthia@epa.gov>
Subject: RE: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Cynthia,


The following shows the location of the Illinois American Water Company (IAWC)- East St. Louis intake on Mississippi River and the location of Centreville, IL on the Illinois EPA Source Water Assessment and Protection GIS web service.



The second map was developed by the Illinois State Water Survey and shows the location of IAWC- St. Louis water treatment plant and the satellite communities that they provide drinking water to, including Centreville. I also attached the source water assessment fact sheet and the Engineering Evaluation Report:

Rick

Richard P. Cobb, P.G.
Acting Division Manager
Division of Public Water Supplies
e-mail: rick.cobb@illinois.gov
Phone: 217/782-1020
Fax: 217782-0075



From: Meyer, Cynthia <Meyer.Cynthia@epa.gov>

Sent: Tuesday, August 4, 2020 9:38 AM

To: Cobb, Rick <RICK.COBB@Illinois.gov>

Subject: [External] FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Importance: High

Hi Rick,

Who should I contact to find the answer to the location of a surface water intake?

Can you please let me know the proximity of the water intake to the Mississippi at lat/long 38°36'05"N 90°11'10"W? This is for the Centreville, IL water system.

Thanks,

Cynthia

From: Meyer, Cynthia

Sent: Tuesday, August 04, 2020 7:07 AM

To: Steve Vance (STEVE.VANCE@Illinois.gov) <STEVE.VANCE@Illinois.gov>

Subject: FW: For Action by August 13 - Control Correspondence (R5-20-000-6192-C) - Response requested today if possible

Importance: High

Hi Steve,

Can you please let me know the proximity of the water intake to the Mississippi at lat/long 38°36'05"N 90°11'10" W? This is for the Centreville, IL water system.

Thanks,

Cynthia

From: Unger, LouAnn <unger.louann@epa.gov>

Sent: Tuesday, August 04, 2020 6:52 AM

To: Bair, Rita <bair.rita@epa.gov>; Meyer, Cynthia <Meyer.Cynthia@epa.gov>

Cc: Poy, Thomas <poy.thomas@epa.gov>; Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>

Subject: RE: For Action by August 13 - Control Correspondence (R5-20-000-6192-C)

Tom mentioned the water intake for Illinois Metro East located on the Mississippi. I would like to know the proximity of that intake to the Mississippi at lat/long 38°36'05"N 90°11'10" W. Rita or Cynthia, can you provide that information today if possible? I would have asked Tom but I see from Outlook that he is out today and tomorrow.

Thank you all for your quick and helpful replies pointing out the fairly recent sampling and field work by NRDC and IEPA. I figured that the majority of the response to the control will come from WECAB so I reached out to them yesterday and am waiting for a response. I'll keep you posted.

LouAnn

State of Illinois - CONFIDENTIALITY NOTICE: The information contained in this communication is confidential, may be attorney-client privileged or attorney work product, may constitute inside information or internal deliberative staff communication, and is intended only for the use of the addressee. Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify the sender immediately by return e-mail and destroy this communication and all copies thereof, including all attachments. Receipt by an unintended recipient does not waive attorney-client privilege, attorney work product privilege, or any other exemption from disclosure.